






扁平环眼吊装带 / WEBBING SLING EYE TYPE



扁平吊装带的最大载荷范围为: 0-50吨, 长度范围为1-100米。扁平吊装带是采用100%PES通过编造缝合制成。并且吊装的两端可使用加强的环眼或金属配件来提高强度。

Web Slings are typically a flat single or multi-ply polyester strap that feature looped eyes at each end. The straps are passed under or around a load and are generally connected to an overhead crane via shackles or a similar component.



single layer sling with reinforced eyes
单层示意图



two layer sling with reinforced eyes
双层示意图

型号 STOCK NO.	双层工作载荷 WLL-DOUBLE PLY	单层工作载荷 WLL-SINGLE PLY	颜色 COLOR	宽度 WIDTH	执行标准 JB/T 8521.1 EN1492-1 AS 1353.1
WS1EE01	1000 Kgs	500 Kgs	紫Violet	25/30/50mm	6:1 7:1 8:1
WS1EE02	2000 Kgs	1000 Kgs	绿Green	50/60/65mm	6:1 7:1 8:1
WS1EE03	3000 Kgs	1500 Kgs	黄Yellow	75/90mm	6:1 7:1 8:1
WS1EE04	4000 Kgs	2000 Kgs	灰Grey	100/120mm	6:1 7:1 8:1
WS1EE05	5000 Kgs	2500 Kgs	红Red	125/150mm	6:1 7:1 8:1
WS1EE06	6000 Kgs	3000 Kgs	棕Brown	150/200mm	6:1 7:1 8:1
WS1EE08	8000 Kgs	4000 Kgs	蓝Blue	200/240mm	6:1 7:1 8:1
WS1EE10	10000 Kgs	5000 Kgs	橙Orange	250/300mm	6:1 7:1 8:1
WS1EE12	12000 Kgs	6000 Kgs	橙Orange	300mm	6:1 7:1 8:1

型号 STOCK NO.	双层工作载荷 WLL-DOUBLE PLY	单层工作载荷 WLL-SINGLE PLY	颜色 COLOR	宽度 WIDTH	执行标准 ASME B30.9
WS2EE01	3100 Lbs	1600 Lbs	黄Yellow	1"	Class 7
WS2EE02	6200 Lbs	3100 Lbs	黄Yellow	2"	Class 7
WS2EE03	8800 Lbs	4700 Lbs	黄Yellow	3"	Class 7
WS2EE04	11000 Lbs	6200 Lbs	黄Yellow	4"	Class 7
WS2EE05	13700 Lbs	7800 Lbs	黄Yellow	5"	Class 7
WS2EE06	16500 Lbs	9300 Lbs	黄Yellow	6"	Class 7
WS2EE08	22750 Lbs	11750 Lbs	黄Yellow	8"	Class 7
WS2EE10	28400 Lbs	14700 Lbs	黄Yellow	10"	Class 7
WS2EE12	34100 Lbs	17650 Lbs	黄Yellow	12"	Class 7



扁平环形吊装带 / WEBBING SLING ENDLESS TYPE




扁平带是由织机一次织成，并配以不同的缝合方法加工而成，分为单层、双层和四层。

Endless lifting slings are made with a continuous loop that is formed by joining ends of the webbing together. Endless slings therefore can be rotated to provide a much higher number of contact points for where the sling contacts the load.

single layer sling
单层示意图



two layer sling
双层示意图



型号 STOCK NO.	双层工作载荷 WLL-DOUBLE PLY	单层工作载荷 WLL-SINGLE PLY	颜色 COLOR	宽度 WIDTH	执行标准 JB/T 8521.1 EN1492-1 AS 1353.1
WS1ED01	2000 Kgs	1000 Kgs	紫Violet	25/30/50mm	6:1 7:1 8:1
WS1ED02	4000 Kgs	2000 Kgs	绿Green	50/60/65mm	6:1 7:1 8:1
WS1ED03	6000 Kgs	3000 Kgs	黄Yellow	75/90mm	6:1 7:1 8:1
WS1ED04	8000 Kgs	4000 Kgs	灰Grey	100/120mm	6:1 7:1 8:1
WS1ED05	10000 Kgs	5000 Kgs	红Red	125/150mm	6:1 7:1 8:1
WS1ED06	12000 Kgs	6000 Kgs	棕Brown	150/200mm	6:1 7:1 8:1
WS1ED08	16000 Kgs	8000 Kgs	蓝Blue	200/240mm	6:1 7:1 8:1
WS1ED10	20000 Kgs	10000 Kgs	橙Orange	250/300mm	6:1 7:1 8:1
WS1ED12	24000 Kgs	12000 Kgs	橙Orange	300mm	6:1 7:1 8:1

型号 STOCK NO.	双层工作载荷 WLL-DOUBLE PLY	单层工作载荷 WLL-SINGLE PLY	颜色 COLOR	宽度 WIDTH	执行标准 ASME B30.9
WS2ED01	6200 Lbs	3200 Lbs	黄Yellow	1"	Class 7
WS2ED02	12400 Lbs	6200 Lbs	黄Yellow	2"	Class 7
WS2ED03	17600 Lbs	9400 Lbs	黄Yellow	3"	Class 7
WS2ED04	22000 Lbs	12400 Lbs	黄Yellow	4"	Class 7
WS2ED05	27400 Lbs	15600 Lbs	黄Yellow	5"	Class 7
WS2ED06	33000 Lbs	18600 Lbs	黄Yellow	6"	Class 7
WS2ED08	42350 Lbs	21150 Lbs	黄Yellow	8"	Class 7
WS2ED10	52900 Lbs	26450 Lbs	黄Yellow	10"	Class 7
WS2ED12	63500 Lbs	31750 Lbs	黄Yellow	12"	Class 7
















圆形吊装带/ROUND SLING




圆形吊装带，最大负荷可至500吨，有效长度可至100米，安全系数一般采用6:1，7:1；

圆形吊装带是采用高强度聚工业长丝(100%PES)制成，内部承载芯采用无极环绕以构成循环状，外部使用100%PES织成不受力的套管对承载芯加以保护。

Round slings are a type of lifting sling, manufactured from polyester or nylon, they provide a low-abrasive and lightweight rigging solution for loads up to 500Ton

型号 STOCK NO.	工作载荷 WLL	护套类型 PROTECT SLEEVE	颜色 COLOR	执行标准 JB/T 8521.2 EN1492-2 /AS4497.1
RS1ED01	1000 Kgs	Single/Double	 紫Violet	6:1 7:1
RS1ED02	2000 Kgs	Single/Double	 绿Green	6:1 7:1
RS1ED03	3000 Kgs	Single/Double	 黄Yellow	6:1 7:1
RS1ED04	4000 Kgs	Single/Double	 灰Grey	6:1 7:1
RS1ED05	5000 Kgs	Single/Double	 红Red	6:1 7:1
RS1ED06	6000 Kgs	Single/Double	 棕Brown	6:1 7:1
RS1ED08	8000 Kgs	Single/Double	 蓝Blue	6:1 7:1
RS1ED10	10000 Kgs	Single/Double	 橙Orange	6:1 7:1
RS1ED12	12000 Kgs	Single/Double	 橙Orange	6:1 7:1
RS1ED15	15000 Kgs	Single/Double	 橙Orange	6:1 7:1
RS1ED20	20000 Kgs	Single/Double	 橙Orange	6:1 7:1
RS1ED30	30000 Kgs	Single/Double	 橙Orange	6:1 7:1
RS1ED50	50000 Kgs	Single/Double	 橙Orange	6:1 7:1

型号 STOCK NO.	工作载荷 WLL	护套类型 PROTECT SLEEVE	颜色 COLOR	执行标准 ASME B30.9
RS2ED01	2600 Lbs	Single/Double	 紫Violet	5:1
RS2ED02	5300 Lbs	Single/Double	 绿Green	5:1
RS2ED03	8400 Lbs	Single/Double	 黄Yellow	5:1
RS2ED04	10600 Lbs	Single/Double	 灰Grey	5:1
RS2ED05	13200 Lbs	Single/Double	 红Red	5:1
RS2ED06	16800 Lbs	Single/Double	 棕Brown	5:1
RS2ED08	21200 Lbs	Single/Double	 蓝Blue	5:1
RS2ED10	25000 Lbs	Single/Double	 橙Orange	5:1
RS2ED12	31000 Lbs	Single/Double	 橙Orange	5:1
RS2ED15	40000 Lbs	Single/Double	 橙Orange	5:1
RS2ED20	53000 Lbs	Single/Double	 橙Orange	5:1
RS2ED30	66000 Lbs	Single/Double	 橙Orange	5:1
RS2ED50	90000 Lbs	Single/Double	 橙Orange	5:1



MULTI-LEG SLINGS
多腿索具



BOAT SLING
船用吊带



DISPOSABLE SLING
一次性吊带



POLYESTER YARN
涤纶丝



UHMWPE YARN
超过量分子聚乙烯



POLYPROPYLENE YARN
丙纶丝



LOAD-BEARING CORE
圆带芯



SEWING THREAD
缝纫线




MOORING TAIL
绳索



SLING WEBBING
美标织带



SLING WEBBING
欧标织带



ROUND SLING SLEEVE
圆带护套





棘轮捆绑器 / TIE DOWN STRAPS & PARTS



型号 STOCK NO.	宽度 WIDTH	工作载荷 LC	破断拉力 BS	织带倍数 WEBBING
RTD02500800E	1"/25mm	400/500 KGS	800/1000 KGS	3:1
RTD02801500E	1-1/16"/28mm	750KGS	1500KGS	3:1
RTD03502000E	1.5"/35mm	1000KGS	2000KGS	3:1
RTD03503000E	1.5"/38mm	1500KGS	3000KGS	3:1
RTD05006000E	2"/50mm	3000KGS	6000KGS	3:1
RTD05002000E	2"/50mm	1000KGS	5000KGS	3:1
RTD05005000E	2"/50mm	2500KGS	5000KGS	3:1
RTD07510000E	3"/75mm	5000KGS	10000KGS	3:1
RTD10010000E	4"/100mm	5000KGS	10000KGS	3:1



型号 STOCK NO.	宽度 WIDTH	工作载荷 LC	破断拉力 BS	织带倍数 WEBBING
RTD02801500A	1-1/16"/28mm	750KGS	1500KGS	3:1
RTD03502000A	1.5"/35mm	1000KGS	2000KGS	3:1
RTD05005000A	2"/50mm	2500KGS	5000KGS	3:1
RTD07510000A	3"/75mm	5000KGS	10000KGS	3:1
RTD10010000A	4"/100mm	5000KGS	10000KGS	3:1



型号 STOCK NO.	宽度 WIDTH	工作载荷 LC	破断拉力 BS	织带倍数 WEBBING
RTD02501500W	1"/25mm	500LBS	1500LBS	3:1
RTD02801100W	1-1/16"/28mm	1100LBS	3300LBS	3:1
RTD03502200W	1.5"/35mm	2200LBS	6600LBS	3:1
RTD05005000W	2"/50mm	3333LBS	10000LBS	3:1
RTD07505400W	3"/75mm	5400LBS	16200LBS	3:1
RTD10005400W	4"/100mm	5400LBS	16200LBS	3:1

精包装捆绑器 / RATCHET STRAP WITH PACKING





1寸拉紧器
1" TIE DOWN STRAP



1-1/16寸重型拉紧器
1-1/16" HEAVY DUTY TIE DOWN STRAP



1.5寸重型拉紧器
1.5" HEAVY DUTY TIE DOWN STRAP



2寸E扣拉紧器
2" TIE DOWN STRAP WITH E TRACK FITTINGS



2寸拉紧器
2" TIE DOWN STRAP



2寸倒齿拉紧器
2" ERGO TIE DOWN STRAP



2寸美式拉紧器
2" TIE DOWN STRAP



2寸重型拉紧器
2" HEAVY DUTY TIE DOWN STRAP



